## This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ OTHER:

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
	6363	coprocessor	USPAT; US-PGPUB; EPO; JPO;	2004/08/24 17:12
_	6398	(coprocessor) or (co adj server) with server	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/24 16:22
_	6398	(coprocessor) or (co adj server)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/24
-	108	((coprocessor) with server) or (co adj server)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/24 16:23
_	3	coserver	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/24 17:10
_	279	server with "trusted server"	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/24
_	158	coprocessor near (secur\$3 trust\$3)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/24 17:12
<u> </u>	5	coprocessor near (secur\$3 trust\$3) with server	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/25 13:11
-	646	<pre>(interact\$4 exchang\$3 transmit\$4 transmission)with server with ((trust\$3 secur\$3 ) near (server computer (co adj server)))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/25 13:15
_	0	<pre>(interact\$4 exchang\$3 transmit\$4 transmission)with server with ((trust\$3 secur\$3 ) near (server computer (co adj server))) same (client user customer)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/25
~	208	transmission) with server with ((trust\$3 secur\$3 ) near (server computer (co adj server))) same (client user customer)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/25 13:21
		<pre>and(client user customer) with  ((authenticat\$4) or ( secur\$3 private  trust\$3) near (channel communicat\$4) ) with ( server)</pre>	IBM_TDB	

		/interaction evaluated transmitted	USPAT;	2004/08/25
-	0 1	(interact\$4 exchang\$3 transmit\$4	USPAT; US-PGPUB;	13:24
		transmission) with server with ((trust\$3 secur\$3) near (server computer (co adj	EPO; JPO;	13.24
		securs3 ) hear (server computer (co au) server))) same (client user customer)	DERWENT;	
		and(client user customer) with	IBM TDB	
		((authenticat\$4) or ( secur\$3 private	IDM_IDB	
		((authenticats4) or ( securs private		
		trust\$3) near (channel communicat\$4))		
		with (server) and (reencrypt\$3 or (re		
		adj encrypt\$3) (encrypt\$3 near2 (again		
		time))) with (stor\$3 sav\$3) with		
		(server (co adj server))	USPAT;	2004/08/25
_	0		US-PGPUB;	13:25
		transmit\$4 transmission) with server with		13.23
		((trust\$3 secur\$3 ) near (server computer	EPO; JPO;	
!		(co adj server))) same (client user	DERWENT;	
	i i	customer) and(client user customer)	IBM_TDB	
		with ((authenticat\$4) or ( secur\$3		
[	į l	private trust\$3) near (channel		
		communicat\$4) ) with (server) and		
		(reencrypt\$3 or (re adj encrypt\$3)	·	
		(encrypt\$3 near3 (again time))) with		
		(stor\$3 sav\$3) with (server (co adj		
		server))		0004/00/05
-	1	(interact\$4 exchang\$3 transfer\$3	USPAT;	2004/08/25
		transmit\$4 transmission) with server with	US-PGPUB;	13:26
		((trust\$3 secur\$3 ) near (server computer	EPO; JPO;	
		(co adj server))) same (client user	DERWENT;	
		customer) and(client user customer)	IBM_TDB	
		with ((authenticat\$4) or ( secur\$3		
		private trust\$3) near (channel		
		communicat\$4) ) with ( server) and		
		(reencrypt\$3 or (re adj encrypt\$3)		
		(encrypt\$3 near3 (again time))) with		
		(stor\$3 sav\$3 send\$3 sent ) with (server		
		(co adj server))		
_	12	(interact\$4 exchang\$3 transfer\$3	USPAT;	2004/08/25
	İ	transmit\$4 transmission) with server with	US-PGPUB;	14:07
		((trust\$3 secur\$3 ) near (server computer	EPO; JPO;	
		(co adj server))) same (client user	DERWENT;	
		customer) and (client user customer)	IBM_TDB	
		with ((authenticat\$4) or ( secur\$3	-	
		private trust\$3) near (channel		
		communicat\$4) ) with ( server) and		
		(reencrypt\$3 or (re adj encrypt\$3)		
		(encrypt\$3 near3 (again time))) with		
		(stor\$3 sav\$3 send\$3 sent receiv\$3 )		
		with (server (co adj server))		
1_	16		USPAT;	2004/08/25
ļ -	,,	transmit\$4 transmission send\$3	US-PGPUB;	15:11
1	1	receiv\$3) with server with ((trust\$3	EPO; JPO;	
		secur\$3 ) near (server computer (co adj	DERWENT;	
	1	server))) same (client user customer)	IBM TDB	
		and(client user customer) with		
		((authenticat\$4) or ( secur\$3 private	1	
		trust\$3) near (channel communicat\$4))		
		with (server) and (reencrypt\$3 or (re		
		adj encrypt\$3) (encrypt\$3 near3 (again		
		time))) with (stor\$3 sav\$3 send\$3 sent		
		time))) With (Storys Savys Sendys Sent		
		receiv\$3 ) with (server (co adj		
	1	server))	<u> </u>	L

- 1	4	((interact\$4 exchang\$3 transfer\$3	USPAT;	2004/08/27
		transmit\$4 transmission send\$3	US-PGPUB;	16:04
		receiv\$3) with server with ((trust\$3	EPO; JPO; DERWENT;	
		secur\$3 ) near (server computer (co adj server))) same (client user customer)	IBM TDB	
		and(client user customer) with	101-100	
İ		((authenticat\$4) or ( secur\$3 private	ļ	
		trust\$3) near (channel communicat\$4) )		
		with (server) and (reencrypt\$3 or (re		
	ļ	adj encrypt\$3) (encrypt\$3 near3 (again		
		time))) with (stor\$3 sav\$3 send\$3 sent		
		receiv\$3 ) with (server (co adj		
		server))) not ((interact\$4 exchang\$3		
		transfer\$3 transmit\$4 transmission)with		
		server with ((trust\$3 secur\$3 ) near		
		(server computer (co adj server))) same		
		<pre>(client user customer) and(client user customer) with ((authenticat\$4) or (</pre>		
		secur\$3 private trust\$3) near (channel		
		communicat\$4) ) with (server) and		
		(reencrypt\$3 or (re adj encrypt\$3)		
		(encrypt\$3 near3 (again time))) with		
		(stor\$3 sav\$3 send\$3 sent receiv\$3 )		
		<pre>with (server (co adj server)))</pre>		
-	3820796	6223284.pn. and respon\$4 signal	USPAT;	2004/08/25
			US-PGPUB;	15:12
			EPO; JPO;	
			DERWENT;	
		6000004	IBM_TDB	2004/08/25
_	1	6223284.pn. and (respon\$4 signal)	USPAT; US-PGPUB;	18:32
			EPO; JPO;	10.32
			DERWENT;	
			IBM TDB	
1 _	15	5848161.URPN.	USPAT	2004/08/25
	**			17:46
_	36594	(operator administrator ) with (install\$5	USPAT;	2004/08/25
		configur\$4 initializ\$3) wiht coprocessor	US-PGPUB;	18:34
		with server	EPO; JPO;	
			DERWENT;	
		/ / / / / / / / / / / / / / / / / / / /	IBM_TDB USPAT;	2004/08/25
-	0	<pre>(operator administrator ) with (install\$5 configur\$4 initializ\$3) with coprocessor</pre>	US-PGPUB;	18:38
		with server	EPO; JPO;	10.30
		MICH SELVET	DERWENT;	
			IBM TDB	
_	0	(operator administrator ) with (install\$5	USPAT;	2004/08/25
		configur\$4 initializ\$3) with coprocessor	US-PGPUB;	18:35
		same server	EPO; JPO;	
			DERWENT;	
			IBM TDB	2004/00/25
-	2		USPAT;	2004/08/25
		coprocessor with server	US-PGPUB; EPO; JPO;	10.33
	1		DERWENT;	
			IBM TDB	
_	0	(operator administrator ) with (install\$5	USPAT;	2004/08/25
	1	configur\$4 initializ\$3) with server same	US-PGPUB;	18:38
		coprocessor	EPO; JPO;	
		• **	DERWENT;	
			IBM_TDB	
-	1609	(operator administrator ) with (install\$5	USPAT;	2004/08/25
		configur\$4 initializ\$3) with server	US-PGPUB;	18:38
		andcoprocessor	EPO; JPO;	
			DERWENT;	
	_	/	IBM_TDB USPAT;	2004/08/25
-	5	(operator administrator ) with (install\$5 configur\$4 initializ\$3) with server and	US-PGPUB;	18:44
		coprocessor	EPO; JPO;	10.11
		Cobrocessor	DERWENT;	
1			E .	
			IBM TDB	

_	1609	(operator administrator ) with (install\$5 configur\$4 initializ\$3) with server	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/25 18:46
			IBM TDB	Ì
_	0	<pre>(operator administrator ) with (install\$5 configur\$4 initializ\$3) with (co adj server)</pre>	USPĀT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/25 18:45
-	0	(operator administrator ) with (install\$5 configur\$4 initializ\$3) with platform with (secur\$3 trust\$3) near server	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/25 18:47
_	18	(operator administrator ) with (install\$5 configur\$4 initializ\$3) with (secur\$3 trust\$3) near server	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/25 18:47
_	0	(interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (server provider) with ((trust\$3 secur\$3) near (co adj server)) same	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/27 16:08
_	30	coprocessor (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (server provider) with coprocessor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/27 16:16
_	49	(interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (server provider) same coprocessor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/27 16:22
_	19	<pre>((interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (server provider) same coprocessor) not ((interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (server provider) with coprocessor)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27
-	74		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/27
	39	<pre>( (server provider) with coprocessor) not ((interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (server provider) same coprocessor)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/27
-	348		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/27 16:30
_	100	(plurality several many) near3 (client user) with (server provider supplier ) with (trust\$3 secur\$3) with server and ssl	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/27
-	0	(plurality several many) near3 (client user) with (server provider supplier ) with (trust\$3 secur\$3) with server and (shar\$3 symmetr\$3 common) near key and (coserver (co near server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/27 17:42

_	1	(plurality several many) near3 (client	USPAT;	2004/08/27
		user) with (server provider supplier )	US-PGPUB;	16:34
! !		with (trust\$3 secur\$3) with server and	EPO; JPO;	
		(shar\$3 symmetr\$3 common) near key and	DERWENT;	
		(generat\$3 produc\$3) with (output message	IBMTDB	
		) with (depend\$3 correspond\$3 based basis ) with server		
	73	(plurality several many) near3 (client	USPAT;	2004/08/27
	/3	user) with (server provider supplier )	US-PGPUB;	17:00
		with (trust\$3 secur\$3) with server and	EPO; JPO;	
		(shar\$3 symmetr\$3 common) near key	DERWENT;	
1		(bliation blimmer) 1	IBM TDB	
_	27	(plurality several many) near3 (client	USPAT;	2004/08/27
		user) with (server provider supplier )	US-PGPUB;	17:09
ļ		with (trust\$3 secur\$3) with server and	EPO; JPO;	
		(shar\$3 symmetr\$3 common) near key and	DERWENT;	
		(trust\$3 secur\$3) near (coserver	IBM_TDB	
		co-server third )		
-	228	(client user customer ) near2 (interact\$4	USPAT;	2004/08/27
		exchang\$3 transfer\$3 transmit\$4	US-PGPUB;	17:34
		transmission send\$3 receiv\$3) with	EPO; JPO;	
		(server provider merchant supplier) and	DERWENT;	
	_	(coserver coprocessor)	IBM_TDB USPAT;	2004/08/27
_	5	(client user customer) near2 (interact\$4	USPAT; US-PGPUB;	17:33
	ĺ	exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with	EPO; JPO;	11.55
		(server provider merchant supplier) and	DERWENT;	
		(client user customer) near2 (interact\$4	IBM TDB	
		exchang\$3 transfer\$3 transmit\$4	10.1_100	
		transmission send\$3 receiv\$3) with		
		(coserver coprocessor)		
_	23	(client user customer ) with (interact\$4	USPAT;	2004/08/27
		exchang\$3 transfer\$3 transmit\$4	US-PGPUB;	17:43
		transmission send\$3 receiv\$3) with	EPO; JPO;	
		(server provider merchant supplier) and	DERWENT;	
-		(client user customer ) with (interact\$4	IBM_TDB	
		exchang\$3 transfer\$3 transmit\$4		
		transmission send\$3 receiv\$3) with		
	1.0	(coserver coprocessor)	USPAT;	2004/08/27
_	18	((client user customer) with (interact\$4 exchang\$3 transfer\$3 transmit\$4	US-PGPUB;	17:32
		transmission send\$3 receiv\$3) with	EPO; JPO;	17.32
		(server provider merchant supplier) and	DERWENT;	
		(client user customer) with (interact\$4	IBM TDB	
		exchang\$3 transfer\$3 transmit\$4		
		transmission send\$3 receiv\$3) with		
		(coserver coprocessor)) not ((client user		
		customer ) near2 (interact\$4 exchang\$3		
		transfer\$3 transmit\$4 transmission send\$3		
		receiv\$3) with (server provider merchant		
		supplier) and (client user customer)		
		near2 (interact\$4 exchang\$3 transfer\$3		
		transmit\$4 transmission send\$3 receiv\$3)		
		with (coserver coprocessor))	USPAT;	2004/08/27
_	37		US-PGPUB;	17:34
		exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with	EPO; JPO;	17.51
		(server provider merchant supplier) and	DERWENT;	
		(coserver coprocessor) and timestamp\$3	IBM TDB	
_	1		USPĀT;	2004/08/27
	1	user) with (server provider supplier )	US-PGPUB;	17:43
		with (trust\$3 secur\$3) with server and	EPO; JPO;	
		(shar\$3 symmetr\$3 common) near key and	DERWENT;	
		(coserver (tamper near resistant) (co	IBM_TDB	
		near server))	<u> </u>	

T	73	(client user customer ) with (interact\$4	USPAT;	2004/08/27
_	/5	exchang\$3 transfer\$3 transmit\$4	US-PGPUB;	17:47
1	Ì	transmission send\$3 receiv\$3) with	EPO; JPO;	
		(server provider merchant supplier) and	DERWENT;	
		(client user customer ) with (interact\$4	IBM TDB	
		exchang\$3 transfer\$3 transmit\$4	_	
		transmission send\$3 receiv\$3) with		
		(coserver coprocessor (tamper near		
		resistant))		
	72	((client user customer) with (interact\$4	USPAT;	2004/08/27
-	12	exchang\$3 transfer\$3 transmit\$4	US-PGPUB;	17:44
		transmission send\$3 receiv\$3) with	EPO; JPO;	1,.11
			DERWENT;	
		(server provider merchant supplier) and		
		(client user customer ) with (interact\$4	IBM_TDB	
		exchang\$3 transfer\$3 transmit\$4		 
		transmission send\$3 receiv\$3) with		1
		(coserver coprocessor (tamper near		
		resistant))) not ((client user customer)		
		near2 (interact\$4 exchang\$3 transfer\$3		ļ
		transmit\$4 transmission send\$3 receiv\$3)		
		with (server provider merchant supplier)		
		and (coserver coprocessor) and		
		timestamp\$3)		
_	23	(client user customer ) with (interact\$4	USPAT;	2004/08/27
		exchang\$3 transfer\$3 transmit\$4	US-PGPUB;	17:48
ļ		transmission send\$3 receiv\$3) with	EPO; JPO;	
		(trust\$3 secur\$3) with (server provider	DERWENT;	ŀ
		merchant supplier) and (client user	IBM TDB	
		customer ) with (interact\$4 exchang\$3	-	
		transfer\$3 transmit\$4 transmission send\$3		
		receiv\$3) with (coserver coprocessor		
		(tamper near resistant))	İ	
	10	(client user customer ) with (interact\$4	USPAT;	2004/08/27
_	10	exchang\$3 transfer\$3 transmit\$4	US-PGPUB;	17:49
		transmission send\$3 receiv\$3) with	EPO; JPO;	
		(trust\$3 secur\$3) with (server provider	DERWENT;	
			IBM TDB	
		merchant supplier) and (client user customer) with (interact\$4 exchang\$3	1011_100	
		transfer\$3 transmit\$4 transmission send\$3		
			}	
		receiv\$3) with (coserver coprocessor		
		(tamper near resistant)) and (shar\$3		
		symmetr\$3 common) near key	USPAT;	2004/08/27
-	7629	(client user customer ) with (interact\$4		17:50
		exchang\$3 transfer\$3 transmit\$4	US-PGPUB;	17:30
		transmission send\$3 receiv\$3) with	EPO; JPO;	
		(trust\$3 secur\$3) with (server provider	DERWENT;	
		merchant supplier) and (client user	IBM_TDB	
	1	customer ) with (interact\$4 exchang\$3		
		transfer\$3 transmit\$4 transmission send\$3		
	1	receiv\$3) with (coserver coprocessor	1	
	1	(tamper near resistant)) and (shar\$3		
	1	symmetr\$3 common) near key and state		
		timestamp\$3		
	_	(client user customer ) with (interact\$4	USPAT;	2004/08/27
_	9		US-PGPUB;	18:16
_	9	lexchang\$3 transfer\$3 transmit\$4	US-PGPUD,	1 -00
-	9	exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with	EPO; JPO;	10.10
-	9	transmission send\$3 receiv\$3) with		
_	9	transmission send\$3 receiv\$3) with (trust\$3 secur\$3) with (server provider	EPO; JPO; DERWENT;	
-	9	transmission send\$3 receiv\$3) with (trust\$3 secur\$3) with (server provider merchant supplier) and (client user	EPO; JPO;	10.11
-	9	transmission send\$3 receiv\$3) with (trust\$3 secur\$3) with (server provider merchant supplier) and (client user customer) with (interact\$4 exchang\$3	EPO; JPO; DERWENT;	
-	9	transmission send\$3 receiv\$3) with (trust\$3 secur\$3) with (server provider merchant supplier) and (client user customer) with (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3	EPO; JPO; DERWENT;	
-	9	transmission send\$3 receiv\$3) with (trust\$3 secur\$3) with (server provider merchant supplier) and (client user customer) with (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (coserver coprocessor	EPO; JPO; DERWENT;	
-	9	transmission send\$3 receiv\$3) with (trust\$3 secur\$3) with (server provider merchant supplier) and (client user customer) with (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (coserver coprocessor (tamper near resistant)) and (shar\$3	EPO; JPO; DERWENT;	
-	9	transmission send\$3 receiv\$3) with (trust\$3 secur\$3) with (server provider merchant supplier) and (client user customer) with (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (coserver coprocessor (tamper near resistant)) and (shar\$3 symmetr\$3 common) near key and (state	EPO; JPO; DERWENT;	
-		transmission send\$3 receiv\$3) with (trust\$3 secur\$3) with (server provider merchant supplier) and (client user customer) with (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (coserver coprocessor (tamper near resistant)) and (shar\$3 symmetr\$3 common) near key and (state timestamp\$3)	EPO; JPO; DERWENT; IBM_TDB	
_	37	transmission send\$3 receiv\$3) with (trust\$3 secur\$3) with (server provider merchant supplier) and (client user customer) with (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (coserver coprocessor (tamper near resistant)) and (shar\$3 symmetr\$3 common) near key and (state timestamp\$3) ("5677955" "5629980" "5590197" "5557518"	EPO; JPO; DERWENT; IBM_TDB	2004/08/27
-		transmission send\$3 receiv\$3) with (trust\$3 secur\$3) with (server provider merchant supplier) and (client user customer) with (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (coserver coprocessor (tamper near resistant)) and (shar\$3 symmetr\$3 common) near key and (state timestamp\$3) ("5677955" "5629980" "5590197" "5557518" "5148534" "5146575" "5109413" "4916738"	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	
-		transmission send\$3 receiv\$3) with (trust\$3 secur\$3) with (server provider merchant supplier) and (client user customer) with (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (coserver coprocessor (tamper near resistant)) and (shar\$3 symmetr\$3 common) near key and (state timestamp\$3) ("5677955" "5629980" "5590197" "5557518" "5148534" "5146575" "5109413" "4916738" "4817140" "5956699" "5943424" "5933498"	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/27
-		transmission send\$3 receiv\$3) with (trust\$3 secur\$3) with (server provider merchant supplier) and (client user customer) with (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (coserver coprocessor (tamper near resistant)) and (shar\$3 symmetr\$3 common) near key and (state timestamp\$3) ("5677955" "5629980" "5590197" "5557518" "5148534" "5146575" "5109413" "4916738" "4817140" "5956699" "5943424" "5933498" "5917912" "5850442" "5835595" "5768389"	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/27
-		transmission send\$3 receiv\$3) with (trust\$3 secur\$3) with (server provider merchant supplier) and (client user customer) with (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (coserver coprocessor (tamper near resistant)) and (shar\$3 symmetr\$3 common) near key and (state timestamp\$3) ("5677955" "5629980" "5590197" "5557518" "5148534" "5146575" "5109413" "4916738" "4817140" "5956699" "5943424" "5933498"	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/27

_	1	5943424.pn. and ("120" with "140")	USPAT;	2004/08/27
		-	US-PGPUB;	19:11
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	72	coprocessor with server	USPAT;	2004/08/30
			US-PGPUB;	10:00
			EPO; JPO;	
			DERWENT;	
ļ			IBM_TDB	
-	22	(US-5809493-\$ or US-5590199-\$ or	USPAT;	2004/08/30
		US-6064993-\$ or US-5848161-\$ or	US-PGPUB;	18:44
		US-5960086-\$ or US-6233684-\$ or	DERWENT	
	}	US-6453296-\$ or US-6643701-\$ or		
		US-6745231-\$ or US-6105012-\$ or		
		US-6202157-\$ or US-5761380-\$ or		
		US-6772333-\$).did. or (US-20020019843-\$		
		or US-20030188158-\$ or US-20030140007-\$		
		or US-20020111997-\$ or US-20020107804-\$		
		or US-20040049515-\$ or US-20040015725-\$		
		or US-20010027527-\$).did. or		
		(US-20010032305-\$).did.		
-	1	((US-5809493-\$ or US-5590199-\$ or	USPAT;	2004/08/30
		US-6064993-\$ or US-5848161-\$ or	US-PGPUB;	18:46
		US-5960086-\$ or US-6233684-\$ or	EPO; JPO;	
		US-6453296-\$ or US-6643701-\$ or	DERWENT;	
		US-6745231-\$ or US-6105012-\$ or	IBM_TDB	
		US-6202157-\$ or US-5761380-\$ or		
		US-6772333-\$).did. or (US-20020019843-\$		
		or US-20030188158-\$ or US-20030140007-\$		
		or US-20020111997-\$ or US-20020107804-\$		
		or US-20040049515-\$ or US-20040015725-\$		
		or US-20010027527-\$).did. or		
		(US-20010032305-\$).did.) and virus\$3	***************************************	2004/00/20
-	2	((US-5809493-\$ or US-5590199-\$ or	USPAT;	2004/08/30
		US-6064993-\$ or US-5848161-\$ or	US-PGPUB;	18:47
		US-5960086-\$ or US-6233684-\$ or	EPO; JPO;	
		US-6453296-\$ or US-6643701-\$ or	DERWENT;	
		US-6745231-\$ or US-6105012-\$ or	IBM_TDB	
		US-6202157-\$ or US-5761380-\$ or		
		US-6772333-\$).did. or (US-20020019843-\$		
		or US-20030188158-\$ or US-20030140007-\$		
	İ	or US-20020111997-\$ or US-20020107804-\$		
		or US-20040049515-\$ or US-20040015725-\$		
		or US-20010027527-\$).did. or		
	1	(US-20010032305-\$).did.) and (trojan	1	
1	1	virus\$3 or malicious)	1	I